

Bambinani mine in South Africa is one of the largest platinum mines in the world. The following PDF are the lab reports from the change houses at this mine 52 days after bio fogging. Most of the mine workers come from countries bordering South Africa. There is a significant amount of data showing that almost 40% of them are HIV positive and another 30% have TB. They bring with them, and take home many infectious diseases from fungal foot infections to TB and HIV. It is easy to see how much of a problem this became over many years. In 2013 the South African Government passed legislation that imposed strict hygiene standards in all South African mines. From the date of implementation, government inspectors have had the power to close mines should those strict standards not be met. A mine shaft closure can cost around \$1.5m per day. The government inspectors use independent laboratories to take and then process the swabs using standard culture techniques. Swabs are taken from many areas of the mine including the change houses, where as many as 1,000 men will shower before each shift and after each shift. There are 3 shifts per day. As you can imagine the potential for bacteria, viruses and fungi to grow and spread is enormous.

At Q Technologies, we were called in to help the largest contract cleaning company of mines in South Africa to help them resolve some of the major challenges they faced with the changes in legislation, to help them achieve the strict hygiene standards imposed by the government. We now have a significant amount of their data showing the effectiveness of Q shield Bio fogging which was originally devised for use in Operating theatres and is now used throughout mining in South Africa. The hygiene standards achieved by **Q Shield bio fog** have led to the **Chief Public Health Officers report** on the next pages. His conclusion is **“The tested Q Shield disinfectant has proven to be effective and has a long lasting effect in removing/ reducing microorganisms on surfaces”**.

Repeated tests have shown that once Q shield bio fog has been used in these high impact areas, only fresh water and detergents are required, o disinfectants are required to maintain the highest standards of hygiene.

PLEASE SCROLL DOWN FOR FULL TEST RESULTS & REPORT

WhirlAway Trading 175cc

Trading as

QualitySure

Laboratory and Consulting Services

P.O. Box 20009 202 Joubert Street
Protea Park Rustenburg 0299
0305

CC Reg# 2002/067755/23

Vat# 4930204138

Tel: 014 5928832

Fax: 0865728832

Cell: 0824490145

email: berenice@qslab.co.za

Report Information Page



Certificate No: 2014/09/01-5160-10

Test Codes and Guidelines									
Test Code	Unit	Test Description	Test Method	Catagory	Test Date	Test Batch#	Standard Food Handling ByLaws	Government Notice No 692	Pick 'n Pay Guidelines
SWABTC	cfu/ml	Swab Total Coliform	3MPetrifilm	Equipment/Surface Swabs	2014/09/01	7922	NA	NA	10
SWAB	cfu/cm2	Total Heterothrophic Plate count Swab	SABS	Control	2014/09/01	7923			
Test Code	Unit	Test Description	Test Method	Catagory	Test Date	Test Batch#	Standard Food Handling ByLaws	Government Notice No 692	Pick 'n Pay Guidelines
Test Codes and Guidelines									

Comment:

Page 1 of 3



Analysis Report

Camperdown t/a Jonet 1000 cc

PO Box 21870

Tel No: 014 592 7603

Fax No: 086 527 2296

Email: jflowers@camprtb.co.za

Date: 2014/09/04

Attention: John Flowers

Date Received: 2014/09/01

Lab No: 2014/09/01-5160-10

OrderNo:

Sampler: S. Vermaak

Sample	Test Code	Unit	pH	REZ 0-6 units	METHB Hours	CLOT Pos/Neg	ETHANO Pos/Neg	DELVO Pos/Neg	PHOS units	FAT %	SNF %	PRO %	H2O %	SCC x1000	BRUC. Pos/Neg	BRIX: °	SWABECOLI: cfu/cm2	SWABTC: cfu/cm2	SWAB: cfu/cm2	WABSTAPH: cfu/cm2	SWABLIS: cfu/cm2	MECOLI: cfu/ml or g	MTC: cfu/ml or g	SPLATE: cfu/ml or g	AIRPLATE: cfu/cm2	BASSILUS cfu/g	CAMP cfu/g	CLOS: cfu/g	LEGIO cfu/ml	LISTERIA: cfu/g	PSEUDO: cfu/g	SALMO: cfu/g	SHIGELLA: cfu/g	SRB: Pos/Neg	STAPH: cfu/g	YMI cfu/g					
																																					5160-1	5160-2	5160-3	5160-4	5160-5
Mine Overseers Change House Shower Floor Sample Date: 2014/09/01																		0																							
Mine Overseers Change House Toilet Seat Sample Date: 2014/09/01																		0																							
Mine Overseers Change House Hand Basin Sample Date: 2014/09/01																		0																							
Mine Overseers Change House Shower Floor Area Sample Date: 2014/09/01																		0																							
Bambanani Mine Female Change House Shower Floor Sample Date: 2014/09/01																		0																							
Bambanani Mine Female Change House Toilet Seat Sample Date: 2014/09/01																		0																							
Bambanani Mine Female Change House Shower Floor Area Sample Date: 2014/09/01																		0																							
Control (M1002) Sample Date: 2014/09/01																		0																							

Comment:



Analysis Report

Camperdown t/a Jonet 1000 cc

PO Box 21870

Tel No: 014 592 7603


Fax No: 086 527 2296

Email: jflowers@camprtb.co.za

OrderNo:
Sampler: S. Vermaak

Date: 2014/09/04
Attention: John Flowers
Date Received: 2014/09/01
Lab No: 2014/09/01-5160-10

Test Code	Unit	Sample	pH	REZ	METHB	CLOT	ETHANO	DELVO	PHOS	FAT	SNF	PRO	H2O	SCC	BRUC	BRIX	SWABECOLI	SWABTC	SWAB	WABSTAPH	SWABLS	MECOLI	MTC	SPLATE	AIRPLATE	BASSILUS	CAMP	CLOS	LEGIO	LISTERIA	PSEUDO	SALMO	SHIGELLA	SRB	STAPH	YMI
		Control (M1002)		0-6 units	Hours	Pos/Neg	Pos/Neg	Pos/Neg	units	%		%	%	x1000	Pos/Neg	°	cfu/cm2	cfu/cm2	cfu/cm2	0	cfu/cm2	cfu/ml or g	cfu/ml or g	cfu/ml or g	cfu/cm2	cfu/g	cfu/g	cfu/ml	cfu/g	cfu/g	cfu/g	Pos/Neg	cfu/g	cfu/g		
		Inactivator Solution (M979)																	0																	

Authorised by: 
BIOCHEMIST: B.A Pretorius

All Results have been reviewed and authorised by a technical signatory. Samples were collected by the customer. Samples are handled, preserved and analysed according to laboratory procedure unless otherwise stated. Only methods marked with an asterisk are accredited. This Report relates only to the samples tested and may not be reproduced without the written approval of the Laboratory Manager of Laboratory Director. Any alterations to this Report are made in the form of an amended Certificate version. 1. USEPA approved Methods